

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: BEKA associates Ltd

Manufacturer: BEKA associates Ltd

Address: Old Charlton Road
Hitchin
Herts SG5 2DA

Address: Old Charlton Road
Hitchin
Herts SG5 2DA

Country: United Kingdom

Country: United Kingdom

Party Authorized To Apply Mark: Same as Manufacturer

Report Issuing Office: Intertek Testing & Certification Ltd., Leatherhead

Control Number: 4008610

Authorized by:



for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s): Intrinsically Safe Apparatus and Associated Apparatus for Use in Class I, II, and III, Division 1, Hazardous (Classified) Locations [UL 913:2013 Ed.8]

Explosive Atmospheres - Part 0: Equipment - General Requirements [UL 60079-0:2013Ed.6+R:20Oct2017]

Explosive Atmospheres - Part 11: Equipment Protection by Intrinsic Safety "i" [UL 60079-11:2013 Ed.6+R:28Mar2014]

Nonincendive Electrical Equipment for Use in Class I and II, Division 2 and Class III, Divisions 1 and 2 Hazardous (Classified) Locations [UL 121201:2017 Ed.9+R:26Aug2019]

Nonincendive Electrical Equipment For Use In Class I And II, Division 2 And Class III, Divisions 1 and 2 Hazardous (Classified) Locations [CSA C22.2#213:2017 Ed.3+U1;U2]

Explosive Atmospheres - Part 0: Equipment - General Requirements [CSA C22.2#60079-0:2011 Ed.2]

Explosive Atmospheres - Part 11: Equipment Protection By Intrinsic Safety "i" [CSA C22.2#60079-11:2014 Ed.2]

Enclosures for use in Class II, Division 1, Groups E, F, and G hazardous locations [CSA C22.2#25:1966 Ed.1+G1]

Safety Requirements For Electrical Equipment For Measurement, Control, And Laboratory Use - Part 1: General Requirements [UL 61010-1:2012 Ed.3+R:29Apr2016]

Safety Requirements For Electrical Equipment For Measurement, Control, And Laboratory Use – Part 1: General Requirements (R2017) [CSA C22.2#61010-1-12:2012 Ed.3+U1;U2]

Product: "E" & "G" series externally powered panel mount rate totalisers for use in (models BA317E, BA337E, BA367E, BA377E, BA318E, BA338E, BA368E, BA378E, BA388E, BA314E, BA334E, BA364E, BA374E and BA384E)

Class I Div 1 Groups A,B,C,D T5
 Class II Div 1 Groups E,F,G, Class III
 Class I Zone 0 AEx ia IIC T5 Ga
 Ex ia IIC T5 Ga
 in an ambient of $-40^{\circ}\text{C} \leq T_a \leq +70^{\circ}\text{C}$
 (models BA317E-SS, BA337E-SS, BA367E-SS, BA377E-SS, BA314G, BA334G, BA364G,BA374G and BA384G)

Class I Div 1 Groups A,B,C,D T5
 Class II Div 1 Groups E,F,G, Class III
 Class I Zone 0 AEx ia IIC T5 Ga
 Zone 20 AEx ia IIIC T80°C Da
 Ex ia IIC T5 Ga
 Ex ia IIIC T80°C Da
 in an ambient range $-40^{\circ}\text{C} \leq T_a \leq +60^{\circ}\text{C}$
 (all models)

Class I Div 2 Groups A,B,C,D T5
 Class II Div 2 Groups F,G, Class III Div 2

Brand Name: BEKA

Models:	BA317E. BA337E. BA367E. BA377E. BA318E. BA338E. BA368E. BA378E. BA388E. BA317E-SS. BA337E-SS. BA367E-SS. BA377E-SS. BA314E. BA334E. BA364E. BA374E. BA384E. BA314G. BA334G. BA364G. BA374G. BA384G.
----------------	--