



Member of the FM Global Group

FM Approvals
1151 Boston Providence Turnpike
P.O. Box 9102 Norwood, MA 02062 USA
T: 781 762 4300 F: 781-762-9375 www.fmapprovals.com

CERTIFICATE OF COMPLIANCE

HAZARDOUS (CLASSIFIED) LOCATION ELECTRICAL EQUIPMENT

This certificate is issued for the following equipment:

BR385 Sounder

IS / I / 1 / ABCD / T4 Ta = 60°C - Entity - CI385-32; IP66

I / 0 / AEx ia IIC T4 Ta = 60°C - Entity - CI385-32; IP66

Entity parameters:

Terminals "+" and "-"

$U_i = 28\text{ V}$, $I_i = 93\text{ mA}$, $P_i = 660\text{ mW}$, $C_i = 0$, $L_i = 0$

Terminals S2 and S3 to "-"

$U_i = 28\text{ V}$, $I_i = 0$, $C_i = 0$

$U_o = 16.8\text{ V}$, $I_o = 7.23\text{ mA}$, $P_o = 31\text{ mW}$

Special Conditions of Use

1. To avoid a possible electrostatic charge only clean with a damp cloth

Equipment Ratings:

Intrinsically safe, with entity parameters, for use in Class I, Division 1, Groups A, B, C, D and Class I, Zone 0, Group IIC, in accordance with Control Drawing No. CI385-32, Hazardous (Classified) Locations indoor/outdoor (IP66).

FM Approved for:

BEKA Associates Ltd
Hitchin, Hertfordshire United Kingdom



Member of the FM Global Group

This certifies that the equipment described has been found to comply with the following Approval Standards and other documents:

Class 3600	2011
Class 3610	2010
Class 3810	2005
IEC 60529	1989

Original Project ID: 0003027157

Approval Granted: June 19, 2006

Subsequent Revision Reports / Date Approval Amended

Report Number	Date	Report Number	Date
3054106	November 24, 2014		

FM Approvals LLC

J.E. Marquedant
Manager of Electrical Systems

24 November 2014

Date