



Declaration of Conformity

This certificate is issued for electrical apparatus BA304G, BA304G-SS, BA324G & BA324G-SS

Description

BA304G & BA304G-SS 4 digit and BA324G & BA324G-SS 5 digit are intrinsically safe field mounting 4/20mA loop powered indicators. G models have a GRP enclosure and G-SS models have a 316 stainless steel enclosure.

Manufactured by

BEKA associates Ltd, Old Charlton Road, Hitchin, Herts. UK. SG5 2DA

Council Directives this equipment complies with:

94/9/EC (ATEX Directive) until 19th April 2016 & valid for 2014/34/EU (ATEX Directive) from 20th April 2016

Relating to equipment and protective systems intended for use in potentially explosive atmospheres.

Provisions of the Directive fulfilled by the equipment:



Group II Category 1G Ex ia IIC T5 Ga Ta -40°C to +70°C

Group II Category 1D Ex ia IIIC T80°C Da IP66 Ta -40°C to +70°C

Notified Body for EC-Type Examination and production

Intertek Testing & Certification Ltd 0359 Leatherhead UK

EC-Type Examination Certificate

ITS11ATEX27253X Issue 2 12th August 2015.

Standards used:

EN 60079-0:2012/A11:2013; EN 60079-11:2012 except in respect of those requirements referred to at item 16 of the Schedule.

2004/108/EC (EMC Directive) until 19th April 2016 & valid for 2014/30/EU (EMC Directive) from 20th April 2016

Standards used:

BS EN 61326-1:2013

2011/65/EU (RoHS Directive) relating to hazardous substances in electronic and electrical equipment.



mark first affixed in 2015

Authorised Signatory:

Olivier Lebreton
Technical Director

Issue 1

Issue 2

Issue 3

Issue 4

2nd Dec 2015

5th April 2016

13th Sept 2017

19th Nov 2018

BEKA associates Ltd. Old Charlton Road, Hitchin, SG5 2DA UK

Telephone +44 (0) 1462 438301 Fax +44 (0) 1462 453971

e-mail sales@beka.co.uk www.beka.co.uk