

This certificate is issued for electrical apparatus BA358E

Description

BA358E intrinsically safe panel mounting 4/20mA loop powered rate totaliser

Manufactured by

BEKA associates Ltd, Old Charlton Road, Hitchin, Herts. UK. SG5 2DA

Council Directives this equipment complies with:

94/9/EC (ATEX Directive) until 19th April 2016 & valid for 2014/34/EU (ATEX Directive) from 20th April 2016 Relating to equipment and protective systems intended for use in potentially explosive atmospheres.

Provisions of the Directive fulfilled by the equipment:



Group II Category 1G Ex ia IIC T5 Ga Ta -40°C to +70°C Group II Category 1D Ex ia IIIC T80°C Da IP20 Ta -40°C to +70°C

Notified Body for EU-Type Examination and production

Intertek Testing & Certification Ltd 0359 Leatherhead UK

EU-Type Examination Certificate

ITS11ATEX27254X issue 4 dated 18/10/2017.

Standards used:

EN 60079-0:2012 + A11:2013 and EN 60079-11:20126 except in respect of those requirements referred to at item 16 of the Schedule.

2004/108/EC (EMC Directive) until 19th April 2016 & valid for 2014/30/EU (EMC Directive) from 20th April 2016

Standards used:

BS EN 61326-1:2013

2011/65/EU (RoHS Directive) relating to hazardous substances in electronic and electrical equipment.



mark first affixed in 2012

Authorised Signatory:

Ben Brough Managing Director Issue 1 1st Nov 2011 29th Apr 2014 Issue 2 Issue 3 5th Nov 2014 Issue 4 25th Feb 2015 1st Jul 2015 Issue 5 5th April 2016 Issue 6 14th Sept 2017 Issue 7 20th Oct 2017 Issue 8

