

This certificate is issued for electrical apparatus BA304G, BA304G-SS, BA324G & BA324G-SS

Description

BA304G & BA304G-SS 4 digit and BA324G & BA324G-SS 5 digit are intrinsically safe field mounting 4/20mA loop powered indicators. G models have a GRP enclosure and G-SS models have a 316 stainless steel enclosure.

Manufactured by

BEKA associates Ltd, Old Charlton Road, Hitchin, Herts. UK. SG5 2DA

Council Directives this equipment complies with:

2014/34/EU (ATEX Directive)

Relating to equipment and protective systems intended for use in potentially explosive atmospheres.

Provisions of the Directive fulfilled by the equipment:



Group II Category 1G Ex ia IIC T5 Ga Ta -40°C to +70°C

Group II Category 1D Ex ia IIIC T80°C Da IP66 Ta -40°C to +70°C

Notified Body for EU-Type Examination and production

INTERTEK ITALIA SPA 2575 Via Guido Miglioli, 2/A 20063 Cernusco sul Naviglio (MI) Italy.

EU-Type Examination Certificate

ITS11ATEX27253X Issue 2 12th August 2015.

Standards used:

EN 60079-0:2012/A11:2013; EN 60079-11:2012 except in respect of those requirements referred to at item 16 of the Schedule.

Compliant with EN IEC 60079-0:2018

2014/30/EU (EMC Directive)

Standards used:

EN 61326-1:2013

2011/65/EU (RoHS Directive) relating to hazardous substances in electronic and electrical equipment.

2015/863/EU additional substances added by amending Annex II to Directive 2011/65/EU as regards the list of restricted substances.



mark first affixed in 2015

Authorised Signatory: Issue 7 18th August 2021

Olivier Lebreton CEng MIET

Managing Director

