



Declaration of Conformity

This certificate is issued for electrical apparatus BA304G, BA304G-SS, BA324G & BA324G-SS

Description

BA304G & BA304G-SS 4 digit and BA324G & BA324G-SS 5 digit are intrinsically safe field mounting 4/20mA loop powered indicators. G models have a GRP enclosure and G-SS models have a 316 stainless steel enclosure.

Manufactured by

BEKA associates Ltd, Old Charlton Road, Hitchin, Herts. UK. SG5 2DA

UK statutory requirements this equipment complies with:

Regulations UKSI 2016:1107 (as amended). Equipment and protective systems intended for use in potentially explosive atmospheres.

Provisions of the requirements fulfilled by the equipment:



Group II Category 1G Ex ia IIC T5 Ga $-40^{\circ}\text{C} \leq \text{Ta} \leq +70^{\circ}\text{C}$

Group II Category 1D Ex ia IIIC T80°C Da IP66 $-40^{\circ}\text{C} \leq \text{Ta} \leq +70^{\circ}\text{C}$

Approved Body for UK-Type Examination Certificate

Intertek Testing & Certification Ltd. AB No. 0359 Cleeve Road, Leatherhead, Surrey, KT22 7SB

Approved Body for production

Intertek Testing & Certification Ltd. AB No. 0359 Cleeve Road, Leatherhead, Surrey, KT22 7SB

UK-Type Examination Certificate

ITS21UKEX0087X issue 00 dated 5th July 2021

Standards used:

.EN 60079-0:2012+A11:2013 and EN 60079-11:2012 except in respect of those requirements referred to within item 14 of the Schedule.

Compliant with EN IEC 60079-0:2018

UKSI 2016:1091 Electromagnetic Compatibility Regulations

Standards used:

BS EN 61326-1:2013

UKSI 2012/3032 RoHS Regulations 2012 relating to hazardous substances in electronic and electrical equipment.



mark first affixed in 2021

Authorised Signatory:

Issue1

1st Nov 2021

Olivier Lebreton CEng MIET
Managing Director



BEKA associates Ltd. Old Charlton Road, Hitchin, SG5 2DA UK
Telephone +44 (0) 1462 438301 Fax +44 (0) 1462 453971
e-mail sales@beka.co.uk www.beka.co.uk